

# **Safety Data Sheet**

# 1. Identification

**Product Information.** S712 (119327-114253-112321)

Product Name: Ultrapac Trafficlean

Recommended Use. Professional Carpet Cleaning

Uses advised against. Professional Use Only

Supplier. Legend Brands

Prochem

15180 Josh Wilson Road Burlington, WA 98233

E-Mail: sds@legendbrands.com

800-932-3030

Legend Brands

4520 Eastgate Parkway Mississauga, ON L4W 3W6

800-932-3030

Emergency telephone number. INFOTRAC 1-800-535-5053 (North America)

+1-352-323-3500 (International)

## 2. Hazards Identification

Classification in accordance with the Workplace Hazardous Materials Information System (WHMIS) 2015 based on the Hazardous Products Regulations (HPR).

Eye Irritation, category 2A Flammable Liquid, category 4 Reproductive Toxicity, category 1B

### **GHS Pictograms**





# Signal Word

Danger

## **Unknown Acute Toxicity**

2.8% of the mixture consists of ingredient(s) of unknown acute toxicity

### HAZARD STATEMENTS

Combustible liquid.

Causes serious eye irritation.

May damage fertility or the unborn child.

## Precautionary Statements - Prevention.

Obtain special instructions before use.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves, protective clothing, eye protection, face protection.

Precautionary Statements - Response.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

If eye irritation persists: Get medical advice or attention.

In case of fire: Use carbon dioxide to extinguish.

### Precautionary Statements - Storage.

Store in a well-ventilated place. Keep cool.

Store locked up.

### Precautionary Statements - Disposal.

Dispose of contents/container to an approved waste disposal plant.

# 3. Composition/Information on Ingredients

Chemical Name	CAS-No.	<u>Wt. %</u>	<u>HMIRA</u>
2-(2-BUTOXYETHOXY)ETHANOL	112-34-5	10-30	
TETRAPOTASSIUM PYROPHOSPHATE	7320-34-5	10-30	
ALCOHOLS, C6 -C12, ETHOXYLATED	68439-45-2	1-5	
POTASSIUM HYDROXIDE	1310-58-3	0.1-1.0	

# 4. First-aid Measures

## **Description of first-aid measures.**

### General advice.

Call a physician if irritation develops or persists. Show this safety data sheet to the doctor in attendance.

When symptoms persist or in all cases of doubt seek medical advice.

#### Inhalation

Move to fresh air. If symptoms persist, call a physician. If not breathing, give artificial respiration.

#### Skin contact.

If skin irritation persists, call a physician. Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes.

## Eye contact.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Call a physician if irritation develops or persists. Remove contact lenses, if present.

#### Ingestion

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician immediately. Gently wipe or rinse the inside of the mouth with water.

### Symptoms.

See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

### Notes to physician.

Treat symptomatically.

# 5. Fire-fighting Measures

### Extinguishing media.

### Suitable extinguishing media.

Water spray. Foam. Dry powder. Dry chemical. Alcohol-resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Carbon dioxide (CO<sub>2</sub>).

# Extinguishing media which shall not be used for safety reasons.

High volume water jet.

### Special hazards arising from the substance or mixture.

Hazardous decomposition products formed under fire conditions. Flash back possible over considerable distance.

# Advice for firefighters.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. Accidental Release Measures

## Personal precautions, protective equipment and emergency procedures.

### Personal precautions.

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas. Do not breathe vapors or spray mist.

### Advice for emergency responders.

Remove all sources of ignition. Use personal protection recommended in Section 8.

### **Environmental precautions.**

Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from entering drains. See Section 12 for additional Ecological information.

### Methods and materials for containment and cleaning up.

#### Methods for Containment.

Prevent further leakage or spillage if safe to do so. Pick up and transfer to properly labeled containers. Use personal protective equipment. Remove all sources of ignition.

### Methods for cleaning up.

Use personal protective equipment as required.

## Reference to other sections.

See section 8 for more information.

# 7. Handling and Storage

## Conditions for safe storage, including any incompatibilities.

### Advice on safe handling.

Handle in accordance with good industrial hygiene and safety practice. Keep away from sources of ignition - No smoking.

### Hygiene measures.

See section 7 for more information.

### Storage Conditions.

Keep containers tightly closed in a cool, well-ventilated place. Store in original container.

# 8. Exposure Controls/Personal Protection

Ingredients with Occupational Exposure Limits

<u>Chemical Name</u> <u>ACGIH TLV-TWA</u> <u>ACGIH-TLV STEL</u> <u>OSHA PEL-TWA</u> <u>OSHA PEL-CEILING</u>

2-(2-BUTOXYETHOXY)ETHANOL 10 ppm N.E. N.E. N.E. N.E.

TLV = Threshold Limit Value TWA = Time Weighted Average PEL = Permissible Exposure Limit STEL = Short-Term Exposure Limit N.E. = Not Established

# **Engineering Measures.**

Showers, eyewash stations, and ventilation systems.

### Personal protective equipment.

## Eye/Face Protection.

Safety glasses with side-shields.

## Skin and body protection.

Wear suitable protective clothing.

## Respiratory protection.

In case of insufficient ventilation wear suitable respiratory equipment.

## 9. Physical and chemical properties.

# Information on basic physical and chemical properties.

## Physical state

Product name.: S712 (119327-114253-112321) Ultrapac Trafficlean

Liquid

AppearanceOpaqueColorTanOdorMint

Odor Threshold No Information

**pH** 9.12

Melting/freezing point., °C (°F)No InformationFlash Point., °C (°F)84 (183.20)

**Boiling point/boiling range., °C (°F)** 100 - 1,320 (212 - 2408)

Evaporation rateNo InformationExplosive properties.No InformationVapor pressure.No InformationVapor density.No Information

Specific Gravity. (g/cm³)

Water solubility.

Partition coefficient.

Autoignition temperature.,°C

Decomposition Temperature °C.

Viscosity, kinematic.

1.130

Soluble

No Information

No Information

No Information

Other information.

Volatile organic compounds (VOC) content. 0.0%

Density, lb/gal No Information

# 10. Stability and Reactivity

## Reactivity.

Stable under normal conditions.

### Chemical stability.

Stable under recommended storage conditions.

### Possibility of hazardous reactions.

None known based on information supplied.

## Conditions to Avoid.

Strong oxidizing agents.

### Incompatible Materials.

None known based on information supplied.

### **Hazardous Decomposition Products.**

Carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), oxides of nitrogen (NO<sub>2</sub>), dense black smoke.

# 11. Toxicological Information

# Information on toxicological effects.

Acute toxicity.

### **Product Information**

No Information

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) 22,410.2 mg/kg
ATEmix (dermal) 12,920.5 mg/kg

Component Information.

<u>CAS-No.</u> <u>Chemical Name</u> <u>LD50 Oral</u> <u>LD50 Dermal</u> <u>LC50 Inhalation</u>

112-34-5 2-(2-BUTOXYETHOXY)ETHANOL 5660 mg/kg Rat 2700 mg/kg N.I. Rabbit

7320-34-5 TETRAPOTASSIUM PYROPHOSPHATE > 2980 mg/kg > 7940 mg/kg 6 mg/l (Dust)

Product name.: S712 (119327-114253-112321) Ultrapac Trafficlean

68439-45-2 ALCOHOLS, C6 -C12, ETHOXYLATED N.I. 2500 N.I. 1310-58-3 POTASSIUM HYDROXIDE 284 mg/kg Rat >2000 mg/kg N.I.

N.I. = No Information

Skin corrosion/irritation.

SKIN IRRITANT.

Eye damage/irritation.

No Information

Respiratory or skin sensitization.

No Information

Ingestion.

No Information

Germ cell mutagenicity.

No Information

Carcinogenicity.

No Information

Reproductive toxicity.

No Information

Specific target organ systemic toxicity (single exposure).

No Information

Specific target organ systemic toxicity (repeated exposure).

No Information

Aspiration hazard.

No Information

Primary Route(s) of Entry

No Information

# 12. Ecological Information

### Toxicity.

2.93% of the mixture consists of ingredient(s) of unknown aquatic toxicity

### Ecotoxicity effects.

Chemical Name	Toxicity to algae		Toxicity to daphnia and other aquatic invertebrates
2-(2-BUTOXYETHOXY) ETHANOL 112-34-5	EC50 96 h Desmodesmus subspicatus >100 mg/L	LC50 96 h Lepomis macrochirus 1300 mg/L	EC50 48 h Daphnia magna >100 mg/L
TETRAPOTASSIUM PYROPHOSPHATE 7320-34-5	-	LC50 96 h Oncorhynchus mykiss >100 mg/L	EC50 48 h water flea >100 mg/L

### Persistence and degradability.

No data are available on the product itself.

### Bioaccumulative potential.

Discharge into the environment must be avoided.

 CAS-No.
 Chemical Name
 log POW

 112-34-5
 2-(2-BUTOXYETHOXY)ETHANOL
 1

 1310-58-3
 POTASSIUM HYDROXIDE
 0.65, 0.83

### Mobility in soil.

No information

### Other adverse effects.

No information

# 13. Disposal Considerations

## Waste Disposal Guidance.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# 14. Transport Information

**DOT** 

Shipping Name: Not regulated

**IMDG** 

Proper Shipping Name: Not regulated

<u>IATA</u>

Proper Shipping Name: Not regulated

# 15. Regulatory Information

# International Inventories:

TSCA Complies

DSL -

**DSL/NDSL** Complies

EINECS/ELINCS -

ENCS -

IECSC Complies

KECI -

PICCS -

AIIC Complies

NZIoC -

**TCSI** 

TSCA United States Toxic Substances Control Act Section 8(b) Inventory.

**DSL** Canadian Domestic Substances List.

**DSL/NDSL** Canadian Domestic Substances List/Canadian Non-Domestic Substances List

**EINECS/ELINCS** European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

ENCS Japan Existing and New Chemical Substances.
 IECSC China Inventory of Existing Chemical Substances.
 KECL Korean Existing and Evaluated Chemical Substances.
 PlCCS Philippines Inventory of Chemicals and Chemical Substances.

AllC Australian Inventory of Chemical Substances.

NZIoC New Zealand Inventory of Chemicals.

TCSI Taiwan Chemical Substance Inventory

## **CANADIAN WHMIS:**

This MSDS has been prepared in compliance with Controlled Product Regulations except for the use of the 16 headings.

WHMIS Class B2,D2B

## 16. Other Information

Revision Date: 6/22/2023 Supersedes Date: 5/11/2023

Reason for revision: Substance and/or Product Properties Changed in Section(s):

14 - Transportation Information Revision Statement(s) Changed

Datasheet produced by: Regulatory Department

**HMIS Ratings:** 

Health	2	Flammability:	2	Physical Hazard:	0	Personal Protection:	В	ı
--------	---	---------------	---	------------------	---	----------------------	---	---

### **NFPA Ratings:**

Health:	2	Flammability:	2	Instability:	0	Physical & Chemical:	-
---------	---	---------------	---	--------------	---	----------------------	---

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.