

Safety Data Sheet

1. Identification

Product Information.	A217 (101605)
Product Name:	Ultrapac Renovate
Recommended Use.	Professional Carpet Cleaning
Uses advised against.	Professional Use Only
Supplier.	Legend Brands Prochem 15180 Josh Wilson Road Burlington, WA 98233 E-Mail: sds@legendbrands.com 800-932-3030 Legend Brands 4520 Eastgate Parkway Mississauga, ON L4W 3W6 800-932-3030
Emergency telephone number.	INFOTRAC 1-800-535-5053 (North America) +1-352-323-3500 (International)

2. Hazards Identification

GHS Classification in accordance with 29 CFR 1910.1200

Serious Eye Damage, category 1

Skin Corrosion, category 1

GHS Pictograms



Signal Word

Danger

Unknown Acute Toxicity

1.3% of the mixture consists of ingredient(s) of unknown acute toxicity

HAZARD STATEMENTS

Causes severe skin burns and eye damage.

Causes serious eye damage.

Precautionary Statements - Prevention.

Do not breathe dust/fume/gas/mist/ vapors/spray.

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Wash contaminated clothing before reuse.

Precautionary Statements - Storage.

Store locked up.

Precautionary Statements - Disposal.

Dispose of contents in accordance with local/regional/national/international regulations.

3. Composition/Information on Ingredients

<u>Chemical Name</u>	<u>CAS-No.</u>	<u>Wt. %</u>
TETRAPOTASSIUM PYROPHOSPHATE	7320-34-5	10-25
Ethoxylated alcohols, C9-C11	68439-46-3	2.5-10
TRISODIUM NTA	5064-31-3	2.5-10
Poly(oxy-1,2-ethanediyl),	68478-94-4	1.0-2.5
Ethylene glycol monobutyl ether	111-76-2	0.1-1.0
POTASSIUM HYDROXIDE	1310-58-3	0.1-1.0
Isopropyl alcohol	67-63-0	0.1-1.0

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid Measures

Description of first-aid measures.

General advice.

Call a physician if irritation develops or persists. Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Inhalation.

Move to fresh air. If symptoms persist, call a physician. If not breathing, give artificial respiration.

Skin contact.

Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes. Call a physician immediately.

Eye contact.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Remove contact lenses, if present.

Ingestion.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician immediately. Gently wipe or rinse the inside of the mouth with water.

Symptoms.

See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

Notes to physician.

Treat symptomatically.

5. Fire-fighting Measures

Extinguishing media.

Suitable extinguishing media.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray, fog, Carbon dioxide (CO₂), foam or dry chemical.

Extinguishing media which shall not be used for safety reasons.

High volume water jet.

Special hazards arising from the substance or mixture.

Hazardous decomposition products formed under fire conditions.

Advice for firefighters.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures.

Personal precautions.

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas. Do not breathe vapors or spray mist.

Advice for emergency responders.

Use personal protection recommended in Section 8.

Environmental precautions.

Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from entering drains. See Section 12 for additional Ecological information.

Methods and materials for containment and cleaning up.

Methods for Containment.

Prevent further leakage or spillage if safe to do so. Pick up and transfer to properly labeled containers. Use personal protective equipment.

Methods for cleaning up.

Use personal protective equipment as required.

Reference to other sections.

See section 8 for more information.

7. Handling and Storage

Conditions for safe storage, including any incompatibilities.

Advice on safe handling.

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product.

Hygiene measures.

See section 7 for more information.

Storage Conditions.

Keep containers tightly closed in a cool, well-ventilated place. Store in original container.

8. Exposure Controls/Personal Protection

Ingredients with Occupational Exposure Limits

<u>Chemical Name</u>	<u>ACGIH TLV-TWA</u>	<u>ACGIH-TLV STEL</u>	<u>OSHA PEL-TWA</u>	<u>OSHA PEL-CEILING</u>
Ethylene glycol monobutyl ether	20 ppm	N.E.	50 ppm	N.E.
Isopropyl alcohol	200 ppm	400 ppm	400 ppm	N.E.

TLV = Threshold Limit Value TWA = Time Weighted Average PEL = Permissible Exposure Limit STEL = Short-Term Exposure Limit N.E. = Not Established

Engineering Measures.

Ensure adequate ventilation, especially in confined areas. Showers, eyewash stations, and ventilation systems.

Personal protective equipment.

Eye/Face Protection.

Safety glasses with side-shields.

Skin and body protection.

Wear impervious rubber clothing if needed to prevent contact with liquid material. Wear suitable protective clothing.

Respiratory protection.

In case of insufficient ventilation wear suitable respiratory equipment.

9. Physical and chemical properties.

Information on basic physical and chemical properties.

Physical state	Liquid
Appearance	Opaque
Color	Yellow
Odor	Citrus
Odor Threshold	No Information
pH	13.2
Melting/freezing point., °C (°F)	No Information
Flash Point., °C (°F)	>94 (>201.20)
Boiling point/boiling range., °C (°F)	82 - 1,320 (179.6 - 2408)
Evaporation rate	No Information Available
Explosive properties.	No Information
Vapor pressure.	No Information
Vapor density.	No Information
Specific Gravity. (g/cm ³)	1.180
Water solubility.	Soluble
Partition coefficient.	No Information
Autoignition temperature., °C	No Information
Decomposition Temperature °C.	No Information
Viscosity, kinematic.	No Information

Other information.

Volatile organic compounds (VOC) content.	0.05% at 6 oz./gal
Density, lb/gal	No Information

10. Stability and Reactivity

Reactivity.

Stable under normal conditions.

Chemical stability.

Stable under recommended storage conditions.

Possibility of hazardous reactions.

None known based on information supplied.

Conditions to Avoid.

Direct sources of heat.

Incompatible Materials.

Aldehydes. Ketones. Sodium hypochlorite. Acids. Alcohols. Oxidizing agents.

Hazardous Decomposition Products.

None known.

11. Toxicological Information

Information on toxicological effects.

Acute toxicity.

Product Information

No Information

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) 14,169.7 mg/kg

Component Information.

<u>CAS-No.</u>	<u>Chemical Name</u>	<u>LD50 Oral</u>	<u>LD50 Dermal</u>	<u>LC50 Inhalation</u>
7320-34-5	TETRAPOTASSIUM PYROPHOSPHATE	> 2980 mg/kg	> 7940 mg/kg	6 mg/l (Dust)
5064-31-3	TRISODIUM NTA	1740 mg/kg	N.I.	N.I.
111-76-2	Ethylene glycol monobutyl ether	470	2000	N.I.
1310-58-3	POTASSIUM HYDROXIDE	284 mg/kg Rat	>2000 mg/kg	N.I.
67-63-0	Isopropyl alcohol	5840 mg/kg (Rat)	13,900 mg/kg (Rabbit)	N.I.

N.I. = No Information

Skin corrosion/irritation.

SKIN IRRITANT.

Eye damage/irritation.

No Information

Respiratory or skin sensitization.

No Information

Ingestion.

No Information

Germ cell mutagenicity.

No Information

Carcinogenicity.

No Information

<u>CAS-No.</u>	<u>Chemical Name</u>	<u>IARC</u>	<u>NTP</u>	<u>OSHA</u>
5064-31-3	TRISODIUM NTA	IARC Group 2B	-	-
111-76-2	Ethylene glycol monobutyl ether	IARC Group 3	-	-

Reproductive toxicity.

No Information

Specific target organ systemic toxicity (single exposure).

No Information

Specific target organ systemic toxicity (repeated exposure).

No Information

Aspiration hazard.

No Information

Primary Route(s) of Entry

No Information

12. Ecological Information

Toxicity.

6.30% of the mixture consists of ingredient(s) of unknown aquatic toxicity

Ecotoxicity effects.

<u>Chemical Name</u>	<u>Toxicity to algae</u>	<u>Toxicity to fish</u>	<u>Toxicity to daphnia and other aquatic invertebrates</u>
TETRAPOTASSIUM PYROPHOSPHATE 7320-34-5	-	LC50 96 h Oncorhynchus mykiss >100 mg/L	EC50 48 h water flea >100 mg/L

TRISODIUM NTA 5064-31-3	-	LC50 96 h Pimephales promelas 93 - 170 mg/L, LC50 96 h Lepomis macrochirus 175 - 225 mg/L, LC50 96 h Lepomis macrochirus 252 mg/L, LC50 96 h Pimephales promelas 470 mg/L, LC50 96 h Oryzias latipes 560 - 1000 mg/L, LC50 96 h Oryzias latipes 560 - 1000 mg/L, LC50 96 h Oncorhynchus mykiss 72 - 133 mg/L, LC50 96 h Poecilia reticulata 560 - 1000 mg/L, LC50 96 h Poecilia reticulata 560 - 1000 mg/L, LC50 96 h Pimephales promelas 114 mg/L	LC50 48 h Daphnia magna 560 - 1000 mg/L
Ethylene glycol monobutyl ether 111-76-2	-	LC50 96 h Lepomis macrochirus 1490 mg/L, LC50 96 h Lepomis macrochirus 2950 mg/L	EC50 48 h Daphnia magna >1000 mg/L
Isopropyl alcohol 67-63-0	EC50 96 h Desmodemus subspicatus >1000 mg/L, EC50 72 h Desmodemus subspicatus >1000 mg/L	LC50 96 h Pimephales promelas 9640 mg/L, LC50 96 h Pimephales promelas 11130 mg/L, LC50 96 h Lepomis macrochirus >1400000 µg/L	EC50 48 h Daphnia magna 13299 mg/L

Persistence and degradability.

No data are available on the product itself.

Bioaccumulative potential.

Discharge into the environment must be avoided.

CAS-No.

111-76-2

1310-58-3

67-63-0

Chemical Name

Ethylene glycol monobutyl ether

POTASSIUM HYDROXIDE

Isopropyl alcohol

log POW

0.81

0.65, 0.83

0.05

Mobility in soil.

No information

Other adverse effects.

No information

13. Disposal Considerations

Waste Disposal Guidance.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

DOT

Shipping Name: Limited Quantity in Gallons Only
CORROSIVE LIQUID, N.O.S.. (Potassium hydroxide)
Hazard Class: 8
UN/NA Number: 1760
Packing Group: III

IMDG

Proper Shipping Name: Limited Quantity in Gallons Only
CORROSIVE LIQUID, N.O.S.. (Potassium hydroxide)
Hazard Class: 8
UN Number: 1760
Packing Group: III

IATA

Air transport is not recommended

15. Regulatory Information

International Inventories:

TSCA	Complies
DSL	Complies
DSL/NDSL	Complies
EINECS/ELINCS	-
ENCS	-
IECSC	-
KECI	-
PICCS	-
AICS	Complies
NZIoC	-

TCSI

TSCA	United States Toxic Substances Control Act Section 8(b) Inventory.
DSL	Canadian Domestic Substances List.
DSL/NDSL	Canadian Domestic Substances List/Canadian Non-Domestic Substances List
EINECS/ELINCS	European Inventory of Existing Commercial Substances/ European List of notified Chemical Substances
ENCS	Japan Existing and New Chemical Substances.
IECSC	China Inventory of Existing Chemical Substances.
KECL	Korean Existing and Evaluated Chemical Substances.
PICCS	Philippines Inventory of Chemicals and Chemical Substances.
AICS	Australian Inventory of Chemical Substances.
NZIoC	New Zealand Inventory of Chemicals.
TCSI	Taiwan Chemical Substance Inventory

U.S. Federal Regulations:

SARA SECTION 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372: .

<u>Chemical Name</u>	<u>CAS-No.</u>	<u>Weight Percent</u>
Ethylene glycol monobutyl ether	111-76-2	0.1-1.0

TOXIC SUBSTANCES CONTROL ACT 12(b):

This product does not contain any chemicals that are subject to the reporting requirements of TSCA 12(b).

ADDITIONAL INFORMATION

Additional Information - Sxn 15: No Information

CALIFORNIA PROPOSITION 65 CARCINOGENS



WARNING

Warning: The following ingredients present in the product are known to the state of California to cause Cancer:.

<u>Chemical Name</u>	<u>CAS-No.</u>
Ethylene oxide	75-21-8
1,4-DIOXANE	123-91-1

CALIFORNIA PROPOSITION 65 REPRODUCTIVE TOXINS



WARNING

Warning: The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards.

<u>Chemical Name</u>	<u>CAS-No.</u>
----------------------	----------------

Ethylene oxide
Chloromethane75-21-8
74-87-3**16. Other Information****Revision Date:** 4/22/2022 **Supersedes Date:** 8/26/2021**Reason for revision:** Revision Description Changed
Product Composition Changed
Substance and/or Product Properties Changed in Section(s):
01 - Product Information
02 - Hazards Identification
03 - Composition/Information on Ingredients
09 - Physical & Chemical Information
11 - Toxicological Information
12 - Ecological Information
14 - Transportation Information
Revision Statement(s) Changed**Datasheet produced by:** Regulatory Department**HMIS Ratings:**

Health:	3	Flammability:	1	Physical Hazard:	0	Personal Protection:	B
----------------	---	----------------------	---	-------------------------	---	-----------------------------	---

NFPA Ratings:

Health:	3	Flammability:	1	Instability:	0	Physical & Chemical:	-
----------------	---	----------------------	---	---------------------	---	---------------------------------	---

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.