



Express Lane 2.0 Traffic Lane Cleaner

User Guide

FOR PROFESSIONAL USE ONLY

Very low odor • Neutral pH • Excellent cleaning

BACKGROUND

Express Lane 2.0 Traffic Lane Cleaner (TLC) is a general purpose carpet traffic lane cleaner. **Express Lane 2.0 TLC** is compatible with both portable or truckmount extraction systems. The product includes water conditioning agents, specialty surfactants and water soluble solvents and is highly biodegradable.

Express Lane 2.0 is particularly suitable for situations in which building occupants object to solvent odors but still need effective cleaning. You can still boost the solvency of Express Lane 2.0 by using ChemSpec's Biosolv Booster. Express Lane 2.0 is listed under the Carpet Rug Institute Seal of Approval program and is suitable for use on stain resist carpeting.

ITEMS NEEDED

Note: be sure all equipment operates properly before arriving at the customer's location

- **Cleaning products:** Express Lane 2.0 TLC, Biosolv Booster, Optimal Rinse, Defoamer
- **Personal Protective Equipment (PPE)** as specified in the Safety Data Sheet (SDS)
- **Supplies:** booties, carpet groomer, adequate supply of clean cloths and a plastic bag for the storage of soiled cloths, measuring cup, wet floor signs, corner guards, traffic lane protectors and furniture leg protectors as needed, empty 5 gallon pail to prepare stock solution
- **Equipment:** air movers (the Dri-Eaz Studebaker AirPath™ is particularly useful in this application), vacuum cleaner (preferably a two motor upright), electric or pressure or pump up dispensers as desired for the job, either truckmount or portable extraction equipment as desired for the job.

INSPECTION

Inspect the customer's carpet before doing any work. Note any of the following on your inspection report and discuss with the customer:

- Air flow and drying problems within the building
- Objects that might be damaged if in contact with wet floors such as floor length window treatments, furniture legs or skirts. Be sure to protect these items.
- Access to the work area: be sure you have room to move equipment in and out without causing damage to walls and objects in the room.
- Check the area for fragile objects. Be sure these items are removed to a safe location per customer instructions.
- Inspect and make a note of carpet for any tears, bunching, burns or other damage, excessive wear, heavy staining or unusual odors. Review any issues with the customer before proceeding.

USE INSTRUCTIONS

1. PREPARATION OF READY TO USE (RTU) SOLUTION

- a. Inline injection sprayer: Mix 2.5 qt. (2.4 L) into the 5 qt. (4.7 L) container and fill with water. Meter at 8:1. For extra solvent action, add 8 oz. (237 mL) of Biosolv Booster to the container
- b. Electric or Pump-up sprayer: Mix 6 oz. (177 mL) per gal. (3.8 L) of water. For extra solvent action, add 1 oz. (30 mL) of Biosolv Booster.

2. CLEANING PROCEDURES:

- c. Preinspect / prequalify / pretreat spots as needed. Be sure to check for the compatibility of the product with the carpet.
- d. Vacuum the carpet thoroughly. The vacuuming step is often overlooked because it is so labor intensive. Proper vacuuming, however, removes as much as 80% of dry, particulate soil. Vacuuming reduces the probability of wicking during the drying process.
- e. Apply Express Lane 2.0 ready to use solution at the rate of 0.5 gallons per 100 square feet of carpet. (2 L per 10 M²). Allow adequate dwell time but do not allow the solution to dry on the carpet. If the solution dries, extra time will be necessary to retreat the carpet to dissolve the detergent residues as well as the soil.
- f. For best results, use agitation to work the ready to use solution into the carpet fibers.

Sales/Tech support: 800-932-3030 • Technical support: 800-332-6037 • Emergency: 800-535-5053

- g. Extract using Optimal Rinse. This mildly acidic rinse neutralizes alkaline that might be in the carpet from prior cleanings. Optimal Rinse also retards wicking. Should excess foaming occur, add Defoamer to the waste water tank according to label directions.
- h. Groom the carpet to align fibers. This improves carpet appearance and reduces drying time.
- i. Use sufficient airflow to assure that the carpet will dry quickly. The AirPath™ airmover is recommended because of its 360-degree high-velocity airflow.

NOTE: Not intended for use on stain resist or wool carpeting

CLEANUP

- Be sure to check for any overspray. Remove these spills promptly.
- Dispose of waste water properly in accordance with local, state, and Federal regulations. Never dispose waste water into rivers, streams or lakes.
- Rinse equipment to remove product residues; these residues can interfere with valves or spray jets.

SAFETY CONSIDERATIONS

- Keep children and pets away from your work area, from cleaning products and from your equipment.
- If using a truckmount style extractor, remember that water supply lines and fittings will get very hot. This heat can damage lawns and some types of carpeting. The heat can also burn the skin.

Read the Safety Data Sheets (SDSs) for all products before using them. You can obtain the SDSs from your distributor or from www.LegendBrandsCleaning.com

- Use the personal protective equipment specified in the SDS.
- **Additional References found at www.LegendBrandsCleaning.com**
- Product labels
- User Guides
- SDSs
- Cleaning Systems Guide

PRODUCT TECHNICAL DATA

Sold as:	Case of 4 by 1 gallon (3.8 L)
Reorder number	NELTLC2.04G
Color:	White
Odor:	Very mild solvent
Appearance:	Opaque viscous liquid
pH RTU	7.3
Contains Phosphorous?	Less than 0.2% in RTU
Volatile Organic Content (VOCs):	Less than 1%