

# Safety Data Sheet

# 1. Identification

Product Information. B105 (101194)

Product Name: Fine Fabric Shampoo

Recommended Use. Professional Carpet Cleaning

Uses advised against. Professional Use Only

Supplier. Legend Brands

Prochem

15180 Josh Wilson Road Burlington, WA 98233

E-Mail: sds@legendbrands.com

800-932-3030

Legend Brands

4520 Eastgate Parkway Mississauga, ON L4W 3W6

800-932-3030

Emergency telephone number. INFOTRAC 1-800-535-5053 (North America)

+1-352-323-3500 (International)

# 2. Hazards Identification

### GHS Classification in accordance with 29 CFR 1910.1200

Flammable Liquid, category 3

### **GHS Pictograms**



# Signal Word

Warning

### **Unknown Acute Toxicity**

3.6% of the mixture consists of ingredient(s) of unknown acute toxicity

## **HAZARD STATEMENTS**

Flammable liquid and vapor.

#### Precautionary Statements - Prevention.

Keep away from heat, sparks, open flames, hot surfaces. No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves, protective clothing, eye protection, face protection

# Precautionary Statements - Response.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use CO<sub>2</sub> dry chemical or foam to extinguish.

Product name.: B105 (101194) Fine Fabric Shampoo

#### Precautionary Statements - Storage.

Store in a well-ventilated place. Keep cool.

#### Precautionary Statements - Disposal.

Dispose of contents in accordance with local, regional, national, international regulations.

# 3. Composition/Information on Ingredients

Chemical Name	CAS-No.	<u>Wt. %</u>
SODIUM LAURYL SULFATE	151-21-3	2.5-10
Isopropyl alcohol	67-63-0	2.5-10
Sodium Dodecyl Diphenyl Oxide Disulfonate	119345-04-9	1.0-2.5

The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. First-aid Measures

### Description of first-aid measures.

#### General advice.

Call a physician if irritation develops or persists. Show this safety data sheet to the doctor in attendance.

When symptoms persist or in all cases of doubt seek medical advice.

#### Inhalation.

Move to fresh air. If symptoms persist, call a physician. If not breathing, give artificial respiration.

#### Skin contact.

If skin irritation persists, call a physician. Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes.

#### Eye contact.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Call a physician if irritation develops or persists. Remove contact lenses, if present.

#### Ingestion

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician immediately. Gently wipe or rinse the inside of the mouth with water.

# Symptoms.

See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

# Notes to physician.

Treat symptomatically.

# 5. Fire-fighting Measures

#### Extinguishing media.

#### Suitable extinguishing media.

Water spray. Foam. Dry powder. Dry chemical. Alcohol-resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Carbon dioxide (CO<sub>2</sub>).

# Extinguishing media which shall not be used for safety reasons.

High volume water jet.

### Special hazards arising from the substance or mixture.

Hazardous decomposition products formed under fire conditions. Flash back possible over considerable distance.

#### Advice for firefighters.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. Accidental Release Measures

#### Personal precautions, protective equipment and emergency procedures.

#### Personal precautions.

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas. Do not breathe vapors or spray mist.

### Advice for emergency responders.

Remove all sources of ignition. Use personal protection recommended in Section 8.

### **Environmental precautions.**

Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from entering drains. See Section 12 for additional Ecological information.

### Methods and materials for containment and cleaning up.

#### Methods for Containment.

Prevent further leakage or spillage if safe to do so. Pick up and transfer to properly labeled containers. Use personal protective equipment. Remove all sources of ignition.

#### Methods for cleaning up.

Use personal protective equipment as required.

#### Reference to other sections.

See section 8 for more information.

# 7. Handling and Storage

# Conditions for safe storage, including any incompatibilities.

### Advice on safe handling.

Handle in accordance with good industrial hygiene and safety practice. Keep away from sources of ignition - No smoking.

#### Hygiene measures.

See section 7 for more information.

### Storage Conditions.

Keep containers tightly closed in a cool, well-ventilated place. Store in original container.

# 8. Exposure Controls/Personal Protection

### Ingredients with Occupational Exposure Limits

<u>Chemical Name</u> <u>ACGIH TLV-TWA</u> <u>ACGIH-TLV STEL</u> <u>OSHA PEL-TWA</u> <u>OSHA PEL-CEILING</u>

Isopropyl alcohol 200 ppm 400 ppm N.E.

TLV = Threshold Limit Value TWA = Time Weighted Average PEL = Permissible Exposure Limit STEL = Short-Term Exposure Limit N.E. = Not Established

#### **Engineering Measures.**

Showers, eyewash stations, and ventilation systems.

#### Personal protective equipment.

#### Eye/Face Protection.

Safety glasses with side-shields.

#### Skin and body protection.

Wear suitable protective clothing.

#### Respiratory protection.

In case of insufficient ventilation wear suitable respiratory equipment.

# Physical and chemical properties.

#### Information on basic physical and chemical properties.

Physical stateLiquidAppearanceClearColorColorlessOdorCitrus

Odor Threshold No Information

**pH** 5.3

Melting/freezing point., °C (°F)No InformationFlash Point., °C (°F)60 (140.00)

**Boiling point/boiling range., °C (°F)** 82 - 1,412 (179.6 - 2573.6)

Evaporation rateNo InformationExplosive properties.No InformationVapor pressure.No InformationVapor density.No Information

Specific Gravity. (g/cm³) 1.010
Water solubility. soluble

Partition coefficient.No InformationAutoignition temperature.,°CNo InformationDecomposition Temperature °C.No InformationViscosity, kinematic.No Information

Other information.

Volatile organic compounds (VOC) content. 0.1% at 5 oz/gal.

Density, lb/gal No Information

# 10. Stability and Reactivity

#### Reactivity.

Stable under normal conditions.

# Chemical stability.

Stable under recommended storage conditions.

# Possibility of hazardous reactions.

None known based on information supplied.

### Conditions to Avoid.

Strong oxidizing agents.

### **Incompatible Materials.**

None known based on information supplied.

#### Hazardous Decomposition Products.

Carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), oxides of nitrogen (NO<sub>x</sub>), dense black smoke.

# 11. Toxicological Information

# Information on toxicological effects.

Acute toxicity.

#### **Product Information**

No Information

#### The following values are calculated based on chapter 3.1 of the GHS document.

 ATEmix (oral)
 35,531.0 mg/kg

 ATEmix (dermal)
 5,347.6 mg/kg

 ATEmix (inhalation - dust/mist)
 107.61 mg/l

Component Information.

CAS-No.	Chemical Name	LD50 Oral	LD50 Dermal LC50 Inhalation
151-21-3	SODIUM LAURYL SULFATE	1288 mg/kg Rat	200 mg/kg Rabbit >3.9 mg/L Rat (Dust)
67-63-0	Isopropyl alcohol	5840 mg/kg (Rat)	13,900 mg/kg ( N.I.

Rabbit )
119345-04-9 Sodium Dodecyl Diphenyl Oxide Disulfonate N.I. 2000 N.I.

N.I. = No Information

#### Skin corrosion/irritation.

SKIN IRRITANT.

### Eye damage/irritation.

No Information

Product name.: B105 (101194) Fine Fabric Shampoo

### Respiratory or skin sensitization.

No Information

### Ingestion.

No Information

# Germ cell mutagenicity.

No Information

# Carcinogenicity.

No Information

### Reproductive toxicity.

No Information

# Specific target organ systemic toxicity (single exposure).

No Information

# Specific target organ systemic toxicity (repeated exposure).

No Information

# Aspiration hazard.

No Information

# Primary Route(s) of Entry

No Information

# 12. Ecological Information

#### Toxicity.

1.15% of the mixture consists of ingredient(s) of unknown aquatic toxicity

# **Ecotoxicity effects.**

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
SODIUM LAURYL SULFATE 151-21-3	EC50 72 h Desmodesmus subspicatus 53 mg/L, EC50 96 h Desmodesmus subspicatus 30 - 100 mg/L, EC50 96 h Pseudokirchneriella subcapitata 117 mg/L, EC50 96 h Pseudokirchneriella subcapitata 3.59 - 15.6 mg/L	LC50 96 h Pimephales promelas 15 - 18.9 mg/L, LC50 96 h Pimephales promelas 8 - 12.5 mg/L, LC50 96 h Pimephales promelas 22.1 - 22.8 mg/L, LC50 96 h Oncorhynchus mykiss 4.3 - 8.5 mg/L, LC50 96 h Oncorhynchus mykiss 4.62 mg/L, LC50 96 h Oncorhynchus mykiss 4.2 mg/L, LC50 96 h Brachydanio rerio 7.97 mg/L, LC50 96 h Brachydanio rerio 9.9 - 20.1 mg/L, LC50 96 h Lepomis macrochirus 4.06 - 5.75 mg/L, LC50 96 h Lepomis macrochirus 4.2 - 4.8 mg	EC50 48 h Daphnia magna 1.8 mg/L
Isopropyl alcohol 67-63-0	EC50 96 h Desmodesmus subspicatus >1000 mg/L, EC50 72 h Desmodesmus subspicatus >1000 mg/L	LC50 96 h Pimephales promelas 9640 mg/L, LC50 96 h Pimephales promelas 11130 mg/ L, LC50 96 h Lepomis macrochirus >1400000 μg/L	EC50 48 h Danhnia magna

# Persistence and degradability.

No data are available on the product itself.

### Bioaccumulative potential.

Discharge into the environment must be avoided.

CAS-No.	Chemical Name	log POW
151-21-3	SODIUM LAURYL SULFATE	1.6
67-63-0	Isopropyl alcohol	0.05
119345-04-9	Sodium Dodecyl Diphenyl Oxide Disulfonate	<=-2.68

# Mobility in soil.

No information

# Other adverse effects.

No information

# 13. Disposal Considerations

# Waste Disposal Guidance.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# 14. Transport Information

<u>DOT</u>

Shipping Name: Not regulated

Note: According to 49 CFR §173.150(f)(1), this material was reclassified as a combustible liquid. This provision does not apply to transportation by vessel or aircraft, except where other means of

transportation is impractical.

**IMDG** 

Proper Shipping Name: Flammable liquids, n.o.s., (Isopropanol)

Hazard Class: 3 UN Number: 1993 Packing Group: III

Additional Information: Limited Quantity when shipped in 5 L or less.

**IATA** 

**Proper Shipping Name:** Air transport is not recommended.

# 15. Regulatory Information

# **International Inventories:**

TSCA Complies
DSL Complies
DSL/NDSL Complies

EINECS/ELINCS ENCS IECSC KECI PICCS AIIC NZIOC -

**TCSI** 

TSCA United States Toxic Substances Control Act Section 8(b) Inventory.

**DSL** Canadian Domestic Substances List

**DSL/NDSL** Canadian Domestic Substances List/Canadian Non-Domestic Substances List

**EINECS/ELINCS** European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

 ENCS
 Japan Existing and New Chemical Substances.

 IECSC
 China Inventory of Existing Chemical Substances.

 KECL
 Korean Existing and Evaluated Chemical Substances.

 PICCS
 Philippines Inventory of Chemicals and Chemical Substances.

AllC Australian Inventory of Chemical Substances.

NZIOC New Zealand Inventory of Chemicals.

TCSI Taiwan Chemical Substance Inventory

# **U.S. Federal Regulations:**

### **SARA SECTION 313:**

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372: .

<u>Chemical Name</u> <u>CAS-No.</u> <u>Weight Percent</u>

Isopropyl alcohol 67-63-0 2.5-10

# **TOXIC SUBSTANCES CONTROL ACT 12(b):**

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:.

Chemical NameCAS-No.5-Chloro-2-methyl-4-isothiazolin-3-one26172-55-42-Methyl-2H-isothiazol-3-one2682-20-4

### ADDITIONAL INFORMATION

Additional Information - Sxn 15: No Information

### **CALIFORNIA PROPOSITION 65 CARCINOGENS**



# WARNING

Warning: The following ingredients present in the product are known to the state of California to cause Cancer:

Chemical NameCAS-No.Ethylene oxide75-21-8

### **CALIFORNIA PROPOSITION 65 REPRODUCTIVE TOXINS**



# WARNING

Warning: The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards.

Chemical NameCAS-No.Ethylene oxide75-21-8

# 16. Other Information

Revision Date: 10/27/2023 Supersedes Date: 7/15/2022

Reason for revision: Product Composition Changed

Substance and/or Product Properties Changed in Section(s):

01 - Product Information

03 - Composition/Information on Ingredients

12 - Ecological Information
14 - Transportation Information
Substance Chemical Name Changed
Substance Hazardous Flag Changed
Substance Hazard Threshold % Changed

Substance CAS Number Changed Revision Statement(s) Changed

Datasheet produced by: Regulatory Department

**HMIS Ratings:** 

Health:	1	Flammability:	2	Physical Hazard:	0	Personal Protection:	В

# NFPA Ratings:

Health:	1	Flammability:	2	Instability:	0	Physical & Chemical:	-
---------	---	---------------	---	--------------	---	----------------------	---

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.